

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 17/03/2015 Revision date: 29/06/2020 Supersedes: 17/03/2015 Version: 2.0

ULM-9604-S

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE

Product code : ULM-9604-S

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R22 Xi; R38

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225 Skin Irrit. 2 H315

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Kidney, Central nervous system.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Danger

29/06/2020 EN (English US) 1/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P264 - Wash both hands thoroughly after handling.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

GHS-US labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking. Precautionary statements (GHS-US)

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash Both hands thoroughly after handling.

P280 - Wear eye protection, face protection, protective clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P321 - Specific treatment (see Hazard pictograms (CLP) on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water

spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations

Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|-----------------------------------|---|---------|---|
| METHYL TERT-BUTYL ETHER UNLABELED | (CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27 | 99.9865 | F; R11 Xi; R38 |
| 6-CHLORONICOTINIC ACID UNLABELED | (CAS-No.) 5326-23-8 (EC-No.) 226-201-5 | 0.0135 | Xi; R36/37/38 |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| METHYL TERT-BUTYL ETHER UNLABELED | (CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27 | 99.9865 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 |
| 6-CHLORONICOTINIC ACID UNLABELED | (CAS-No.) 5326-23-8 (EC-No.) 226-201-5 | 0.0135 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |

29/06/2020 EN (English US) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ULM-9604-S

| Name | Product identifier | % | GHS-US classification |
|-----------------------------------|---------------------|---------|---|
| METHYL TERT-BUTYL ETHER UNLABELED | (CAS-No.) 1634-04-4 | 99.9865 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 |
| 6-CHLORONICOTINIC ACID UNLABELED | (CAS-No.) 5326-23-8 | 0.0135 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.

First-aid measures after inhalation When symptoms occur: go into open air and ventilate suspected area. If not breathing, give

artificial respiration. Get medical advice/attention.

First-aid measures after skin contact Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get

medical advice/attention.

Most important symptoms and effects, both acute and delayed

: May be harmful if inhaled. May cause respiratory irritation. Symptoms/effects after inhalation

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2 Special hazards arising from the substance or mixture

Reactivity : Vapors may form explosive mixture with air.

Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

apparatus.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Use water spray to cool exposed surfaces.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Provide adequate ventilation to minimize dust and/or vapor concentrations. Avoid dust formation.

Evacuate area. Remove all sources of ignition. Special attention should be given to low

areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and material for containment and cleaning up

For containment : Collect spillage. Clean up any spills as soon as possible, using an absorbent material to collect

it. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. This material and its container must be disposed of in a

safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13

29/06/2020 EN (English US) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | | |
|--|----------------------------|--|
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 50.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans. |
| USA OSHA | OSHA PEL (Ceiling) (mg/m³) | 144 mg/m³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107). |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107). |
| METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | | |
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 50.00000000 ppm Basis: USA, ACGIH Threshold Limit |

| METHYL TERT-BUTYL ETHE | METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | | |
|------------------------------|---|--|--|
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 50.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans. | |
| USA OSHA | OSHA PEL (Ceiling) (mg/m³) | 144 mg/m³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107). | |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107). | |

8.2. Exposure controls

Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid

Appearance : Liquid
Molecular mass : 88.15 g/mol
Color : Colorless

Odor : No data available.
Odor threshold : No data available
pH : No data available

29/06/2020 EN (English US) 4/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : -108.6 °C (-163.5 °F)

Freezing point : No data available

Boiling point : 55 - 56 °C (131 - 133 °F) - lit. Flash point : -33 °C (- 27.4 °F) - closed cup

Auto-ignition temperature : 374 °C (705.2 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : 1018.7 hPa (764.1 mmHg) at 55°C (131°F),

279.2 hPa (209.4 mmHg) at 20 °C (68°F)

Relative vapor density at 20 °C : No data available Relative density : No data available

Specific gravity / density : 0.74 g/ml at 25 °C (77 °F)

Solubility : Water: 42 g/l at 20 °C (68 °F) - OECD Test Guideline 105

Log Pow : 1.06

Log Kow : No data available

Viscosity, kinematic : 0.464 mm²/s at 20 °C (68 °F) - 0.409 mm2/s at 40 °C (104 °F)

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : 1.6 - 15.1 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

Oxidizing agents, Strong acids.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | |
|--|-------------------------|
| LD50 oral rat | 4000 mg/kg |
| LC50 inhalation rat (ppm) | 23576 ppm/4h |
| METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | |
| LD50 oral rat | 4000 mg/kg |
| LC50 inhalation rat (ppm) | 23576 ppm/4h |
| 01: " " " | Occupant the Indication |

Skin corrosion/irritation : Causes skin irritation.

Skin - Rabbit - Causes skin irritation

Serious eye damage/irritation : Not classified

Eyes - Rabbit - No eye irritation

Respiratory or skin sensitization : Will not occur
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

29/06/2020 EN (English US) 5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity - single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

: Not classified Aspiration hazard

Potential Adverse human health effects and

symptoms

: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. central nervous system. Dizziness. Nausea. Vomiting. IF INHALED: Risk of pneumonia.

IARC group : 2B

Symptoms/effects after inhalation May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

12.1. **Toxicity**

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | |
|--|---|
| LC50 fish 1 | 672 mg/l Pimephales promelas (fathead minnow) - 96 h |
| EC50 Daphnia 1 | 472 mg/l Daphnia magna (Water flea) - 48 h |
| EC50 other aquatic organisms 1 | 491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h |
| LC50 fish 2 | > 1000 ma/l other fish - 96 h |

| | • |
|---|---|
| METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | |
| LC50 fish 1 | 672 mg/l Pimephales promelas (fathead minnow) - 96 h |
| EC50 Daphnia 1 | 472 mg/l Daphnia magna (Water flea) - 48 h |
| EC50 other aquatic organisms 1 | 491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h |
| LC50 fish 2 | > 1000 mg/l other fish - 96 h |

Persistence and degradability 12.2.

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | |
|--|--|
| Persistence and degradability | Not readily biodegradable. (OECD 301D method). |
| Biodegradation | 0 % |

| METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | |
|---|--|
| Persistence and degradability | Not readily biodegradable. (OECD 301D method). |
| Biodegradation | 0 % |

12.3. **Bioaccumulative potential**

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | |
|--|------|
| Log Pow | 1.06 |

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4) 1.06 Log Pow

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

: Waste materials should be disposed of under conditions which meet Federal, State, and local Regional legislation (waste)

environmental control regulations.

: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed Product/Packaging disposal recommendations

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

29/06/2020 EN (English US) 6/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 2398
DOT NA no. UN2398

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Methyl tert-butyl ether

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid

FLAMMABLE LIQUID

Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

Overland transport

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 33
Classification code (ADR) : F1

Hazard labels (ADR) : 3 - Flammable liquids



Orange plates

33 2398

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) 11
EAC : •3YE
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

MFAG-No : 127

29/06/2020 EN (English US) 7/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| 6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE | | |
|--|---|--|
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporing requirements of the United States SARA Section 302. | |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard | |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 | |

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

| Subject to reporting requirements of United States SARA Section 313 | |
|---|---|
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporing requirements of the United States SARA Section 302. |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard |

6-CHLORONICOTINIC ACID UNLABELED (5326-23-8)

| o on Editorial of Third Alone of the Abelle 10 of | | |
|--|---|--|
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | |

15.2. International regulations

CANADA

6-CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE

Listed on the Canadian DSL (Domestic Substances List)

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

| -CHLORONICOTINIC ACID UNLABELED 100 UG/ML IN MTBE() | | |
|--|--|--|
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental Toxicity | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | No | |
| State or local regulations | U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List | |

29/06/2020 EN (English US) 8/9

Female

No

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| METHYL TERT-BUTYL ET | THYL TERT-BUTYL ETHER UNLABELED (1634-04-4) | | | | | |
|--|--|---|---|----------------------------------|--|--|
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | | |
| No | No | No | No | | | |
| 6-CHLORONICOTINIC ACID UNLABELED (5326-23-8) | | | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - | U.S California - Proposition 65 - Reproductive Toxicity - | No significant risk level (NSRL) | | |

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

State or local regulations

No

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

6-CHLORONICOTINIC ACID UNLABELED (5326-23-8)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Male

No

Full text of R-, H- and EUH-phrases:

| Eye Irrit. 2 | Serious eye damage/eye irritation Category 2 |
|---------------|---|
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapor |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| R11 | Highly flammable |
| R22 | Harmful if swallowed |
| R36/37/38 | Irritating to eyes, respiratory system and skin |
| R38 | Irritating to skin |
| F | Highly flammable |
| Xi | Irritant |
| Xn | Harmful |
| | |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause


temporary incapacitation or residual injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

29/06/2020 EN (English US) 9/9