



# SODIUM ACETATE (1,2-13C2, 99%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/02/2011

Revision date: 05/08/2022

Supersedes: 15/06/2021

Version: 4.3

CLM-440

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	: Substance
Substance name	: SODIUM ACETATE (1,2-13C2, 99%)
EC-No.	: 204-823-8 (Unlabeled)
CAS-No.	: 56374-56-2
Product code	: CLM-440
Formula	: *CH3*COONa
Synonyms	: Acetic acidsodium salt

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.  
50 Frontage Road  
Andover, MA 01810  
USA

USA: 1-800-322-1174 Int: 1-978-749-8000  
[cilsales@isotope.com](mailto:cilsales@isotope.com) [www.isotope.com](http://www.isotope.com)

### Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)  
International: 1-703-741-5970 (24 hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### GHS-US classification

Not classified

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### GHS-US labelling

No labelling applicable

### 2.3. Other hazards

No additional information available

# SODIUM ACETATE (1,2-13C2, 99%) CLM-440

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
SODIUM ACETATE (1,2-13C2, 99%)	(CAS-No.) 56374-56-2 (EC-No.) 204-823-8 (Unlabeled)	100	Not classified

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SODIUM ACETATE (1,2-13C2, 99%)	(CAS-No.) 56374-56-2 (EC-No.) 204-823-8 (Unlabeled)	100	Not classified

Full text of R- and H-statements: see section 16

Name	Product identifier	%	GHS-US classification
SODIUM ACETATE (1,2-13C2, 99%) (Main constituent)	(CAS-No.) 56374-56-2	100	Not classified

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eye with water for 15 minutes. Get medical attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/effects after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/effects after eye contact	: Contact may cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Do not let product enter drains.

#### 6.3. Methods and material for containment and cleaning up

For containment : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

# SODIUM ACETATE (1,2-13C2, 99%) CLM-440

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store at room temperature away from light and moisture.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : When appropriate, use NIOSH/CEN approved respirator.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Powder

Molecular mass : 84.02 g/mol (Labeled)

Colour : White

Odour : No data available

Odour threshold : No data available

pH : 8.5 - 9.9 at 246 g/l at 25 °C (77 °F)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : > 300 °C (> 572 °F)

Freezing point : No data available

Boiling point : No data available

Flash point : > 250 °C (> 482 °F) - closed cup

Auto-ignition temperature : 600 °C (1,112 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 1.528 g/cm<sup>3</sup>

Density : 320 - 470 kg/m<sup>3</sup> bulk density

Solubility : Water: 246 g/l at 20 °C (68 °F) - completely soluble

Log Pow : - 4.22

Log Kow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

# SODIUM ACETATE (1,2-13C2, 99%) CLM-440

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable if stored under recommended conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Avoid moisture.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Formed under fire conditions: Carbon oxides, Sodium oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)</b>	
LD50 oral rat	3530 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	> 30000 mg/m <sup>3</sup> 1 h
ATE CLP (oral)	3530.000 mg/kg bodyweight

Skin corrosion/irritation : Skin - rabbit - Mild skin irritation - 24 h  
pH: 8.5 - 9.9 at 246 g/l at 25 °C (77 °F)

Serious eye damage/irritation : Not classified  
Eyes - rabbit - Mild eye irritation  
pH: 8.5 - 9.9 at 246 g/l at 25 °C (77 °F)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Abdominal pain. Nausea. Vomiting. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation.

Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : Contact may cause eye irritation.

Symptoms/effects after ingestion : May be harmful if swallowed.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

<b>SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)</b>	
LC50 fish 1	13330 mg/l Pimephales promelas (fathead minnow) - 120 h
EC50 Daphnia 1	> 1000 mg/l Daphnia magna (Water flea) - 48 h

# SODIUM ACETATE (1,2-13C2, 99%) CLM-440

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)

LC50 fish 2	5000 mg/l <i>Lepomis macrochirus</i> (Bluegill) - 24 h
-------------	--

### 12.2. Persistence and degradability

#### SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)

Persistence and degradability	Biodegradability	Result: 99% - Readily biodegradable.
-------------------------------	------------------	--------------------------------------

### 12.3. Bioaccumulative potential

#### SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)

Log Pow	- 4.22
---------	--------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Other adverse effects : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.

Product/Packaging disposal recommendations: : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Not dangerous goods.

### Overland transport

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

### 14.4. Environmental hazards

Other information : No supplementary information available.

### 14.5. Special precautions for user

Special transport precautions : Not dangerous goods.

### 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# SODIUM ACETATE (1,2-13C2, 99%) CLM-440

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)

SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313

#### 15.2. International regulations

##### CANADA

##### SODIUM ACETATE (1,2-13C2, 99%) (56374-56-2)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.1. National regulations

No additional information available

#### 15.3. US State regulations

##### SODIUM ACETATE (1,2-13C2, 99%)(56374-56-2)

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	RTK - U.S. - Pennsylvania - RTK (Right to Know) List RTK - U.S. - New Jersey - Right to Know Hazardous Substance List


### SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



#### HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard

Physical : 0 Minimal Hazard

#### CIL Substance SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*