



# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 24/11/2014

Revision date:

Version: 1.0

ECN-1000

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixtures  
Product name : HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE  
Product code : ECN-1000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.  
50 Frontage Road  
Andover, MA 01810  
USA

USA: 1-800-322-1174 Int: 1-978-749-8000  
[cilsales@isotope.com](mailto:cilsales@isotope.com) [www.isotope.com](http://www.isotope.com)

#### Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)  
International: 1-703-741-5970 (24 hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
Repr. 2 H361  
STOT SE 3 H336  
STOT SE 2 H371  
Asp. Tox. 1 H304  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

##### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11  
Xn; R65  
Xi; R38  
N; R50/53  
R67

Full text of R-phrases: see section 16

##### GHS-US classification

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Eye Irrit. 2A H319  
Repr. 2 H361  
STOT SE 3 H336  
STOT SE 2 H371  
Asp. Tox. 1 H304  
Aquatic Acute 1 H400

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aquatic Chronic 1 H410

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Peripheral nervous system, Kidney, Testes.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H361 - Suspected of damaging fertility. Suspected of damaging the unborn child (in contact with skin, if inhaled, if swallowed)  
H371 - May cause damage to organs (peripheral nervous system, kidneys, testis) (in contact with skin, if inhaled, if swallowed)  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical, lighting, ventilating equipment  
P260 - Do not breathe fume, mist, spray, vapours  
P264 - Wash Both hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area

### GHS-US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H225 - Highly flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H361 - (Dermal, Inhalation, oral)  
H371 - May cause damage to organs (kidneys, peripheral nervous system) (Dermal, Inhalation, oral)  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US)

: P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/Bond container and receiving equipment  
P241 - Use explosion-proof electrical, lighting, ventilating equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P260 - Do not breathe fume, mist, spray, vapours  
P261 - Avoid breathing dust, fume, gas, mist, spray, vapours  
P264 - Wash Both hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear eye protection, face protection, protective clothing, protective gloves  
P301+P310 - If swallowed: Immediately call a poison center/doctor/...  
P302+P352 - If on skin: Wash with plenty of water/...  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 - If exposed or concerned: Get medical advice/attention  
P312 - Call a poison center/doctor/... if you feel unwell  
P321 - Specific treatment (see Hazard pictograms (CLP) on this label)  
P331 - Do NOT induce vomiting  
P332+P313 - If skin irritation occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362 - Take off contaminated clothing and wash before reuse  
P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish  
P391 - Collect spillage  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
P403+P235 - Store in a well-ventilated place. Keep cool  
P405 - Store locked up  
P501 - Dispose of contents/container to Comply with applicable regulations

### 2.3. Other hazards

PBT: not yet assessed

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-HEXANE UNLABELED	(CAS No) 110-54-3 (EC No) 203-777-6 (EC Index No) 601-037-00-0	99.9847	F; R11 N; R50/53 Xn; R65 Xi; R36/38 Muta.Cat.3; R68 Repr.Cat.3; R62 Repr.Cat.3; R63 R67
HALOWAX 1000 UNLABELED	(CAS No) 58718-66-4	0.0153	Xn; R22

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-HEXANE UNLABELED	(CAS No) 110-54-3 (EC No) 203-777-6 (EC Index No) 601-037-00-0	99.9847	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361fd STOT SE 3, H336 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HALOWAX 1000 UNLABELED	(CAS No) 58718-66-4	0.0153	Acute Tox. 4 (Oral), H302

Name	Product identifier	%	GHS-US classification
N-HEXANE UNLABELED	(CAS No) 110-54-3	99.9847	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 STOT SE 3, H336 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R- and H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Evacuate danger area. IF exposed or concerned: Get medical advice/attention.

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. If not breathing, give artificial respiration. Get medical advice/attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Gently wash with plenty of soap and water, Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label). Gently wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Reactivity : Highly flammable liquid and vapour. Vapours may form flammable mixture with air.

### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear recommended personal protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment as required. Avoid breathing vapours, mist, gas. Avoid dust formation. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Special attention should be given to low areas/pits where flammable vapours can accumulate.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Clean up any spills as soon as possible, using an absorbent material to collect it. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapour and mist. Keep away from sources of ignition - No smoking. Take precautionary measures to prevent the formation of static electricity. Handle empty containers with care because residual vapours are flammable.

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapour concentrations. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume, gas, mist, spray, vapours. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store at room temperature away from light and moisture.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Central Nervous System impairment Eye irritation Peripheral neuropathy.
N-HEXANE UNLABELED (110-54-3)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Central Nervous System impairment Eye irritation Peripheral neuropathy.
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm

### 8.2. Exposure controls

- Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
- Personal protective equipment : Safety glasses. Gloves. Respiratory protection of the dependent type. Protective clothing.



- Materials for protective clothing : Wear suitable protective clothing and gloves.
- Hand protection : Wear suitable protective clothing and gloves.
- Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.
- Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection. Wear suitable protective clothing.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.
- Environmental exposure controls : Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

- Physical state : Liquid
- Appearance : Liquid.
- Colour : Colourless.
- Odour : No data available
- Odour threshold : No data available
- pH : 7
- Relative evaporation rate (butylacetate=1) : 15.8
- Melting point : -95 °C (-139 °F)
- Freezing point : No data available
- Boiling point : 69 °C (156 °F)
- Flash point : -26 °C (-14.8 °F) - closed cup
- Auto-ignition temperature : 234 °C (453 °F)
- Decomposition temperature : No data available
- Flammability (solid, gas) : Highly flammable liquid and vapour
- Vapour pressure : 341.3 hPa (256.0 mmHg) at 37.7 °C (99.9 °F). 176.0 hPa (132.0 mmHg) at 20 °C
- Relative vapour density at 20 °C : No data available
- Relative density : No data available
- Density : 0.659 g/ml at 25 °C (77 °F)

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: Water: 0 %
Log Pow	: 3.9 - 4.11
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1.2 - 7.7 % (V)

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour. Vapours may form flammable mixture with air.

### 10.2. Chemical stability

Stable if stored under recommended conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Moisture. Heat. Open flame. Sparks. Direct sunlight.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

May release flammable gases. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE	
LD50 oral rat	25000 mg/kg
LC50 inhalation rat (ppm)	48000 ppm 4 h
ATE CLP (oral)	25000.000 mg/kg bodyweight
HALOWAX 1000 UNLABELED (58718-66-4)	
ATE CLP (oral)	500.000 mg/kg bodyweight
N-HEXANE UNLABELED (110-54-3)	
LD50 oral rat	25000 mg/kg
LC50 inhalation rat (ppm)	48000 ppm 4 h
ATE CLP (oral)	25000.000 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation. No data available pH: 7
Serious eye damage/irritation	: Causes serious eye irritation. Eyes rabbit mild eye irritation pH: 7
Respiratory or skin sensitisation	: Not available May be fatal if swallowed and enters airways
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not classified
Reproductive toxicity	: Based on animal experimentation, it is proved that product has shown teratogenic effects. Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. Probable human reproductive toxin/teratogen.
STOT-single exposure	: May cause drowsiness or dizziness. May cause damage to organs (peripheral nervous system, kidneys, testis) (in contact with skin, if inhaled, if swallowed).

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure	: Not classified No data available
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential adverse human health effects and symptoms	: Repeated or prolonged skin contact may cause dermatitis and defatting. CNS depression. Slurred speech. Blurred vision. Tears. Redness of the eye tissue. Chest pain. lungs. Pulmonary irritation. Pulmonary oedema. Gastrointestinal complaints. Giddiness. Headache. Dizziness. Drowsiness. Unconsciousness. Slowed reaction time. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

#### HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

LC50 fish 1	>= 2.5 mg/l Pimephales promelas (fathead minnow) - 96.0 h
EC50 Daphnia 1	>= 3878 mg/l Daphnia magna (Water flea) - 48 h
ErC50 (algae)	>= 1284 mg/l Chlorella vulgaris (Fresh water algae) - 3 h.

#### N-HEXANE UNLABELED (110-54-3)

LC50 fish 1	>= 2.5 mg/l Pimephales promelas (fathead minnow) - 96.0 h
EC50 Daphnia 1	>= 3878 mg/l Daphnia magna (Water flea) - 48 h
ErC50 (algae)	>= 1284 mg/l Chlorella vulgaris (Fresh water algae) - 3 h.

### 12.2. Persistence and degradability

#### HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

Persistence and degradability : May cause long-term adverse effects in the environment.

#### HALOWAX 1000 UNLABELED (58718-66-4)

Persistence and degradability : Not available.

#### N-HEXANE UNLABELED (110-54-3)

Persistence and degradability : May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

#### HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

Log Pow	3.9 - 4.11
Bioaccumulative potential	Not available.

#### HALOWAX 1000 UNLABELED (58718-66-4)

Log Pow	5.314
Bioaccumulative potential	Not available.

#### N-HEXANE UNLABELED (110-54-3)

Log Pow	3.9 - 4.11
Bioaccumulative potential	Not available.

### 12.4. Mobility in soil

#### HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

Ecology - soil : Not available.

#### HALOWAX 1000 UNLABELED (58718-66-4)

Ecology - soil : Not available.

#### N-HEXANE UNLABELED (110-54-3)

Ecology - soil : Not available.

### 12.5. Results of PBT and vPvB assessment

#### HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

PBT: not yet assessed

#### N-HEXANE UNLABELED (110-54-3)

PBT: not yet assessed

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.6. Other adverse effects

- Other adverse effects : Very toxic to aquatic life with long lasting effects. Disposal must be done according to official regulations. Avoid release to the environment.
- Other information : Avoid exposure - obtain special instructions before use.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
- Product/Packaging disposal recommendations: : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
- Ecology - waste materials : Dispose of as unused product.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

- UN-No.(DOT) : 1208
- DOT NA no. UN1208

### 14.2. UN proper shipping name

- Proper Shipping Name (DOT) : Hexanes
- Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
- Hazard labels (DOT) : 3 - Flammable liquid



- Packing group (DOT) : II - Medium Danger
- DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.  
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)  
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / (1 + a (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
- DOT Packaging Exceptions (49 CFR 173.xxx) : 150
- DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
- DOT Packaging Bulk (49 CFR 173.xxx) : 242

### 14.3. Additional information

- Other information : No supplementary information available.

### Overland transport

- Packing group (ADR) : II
- Class (ADR) : 3 - Flammable liquid
- Hazard identification number (Kemler No.) : 33
- Classification code (ADR) : F1
- Danger labels (ADR) : 3 - Flammable liquids



- Orange plates : An orange rectangular plate with a black border. The number "33" is printed in black in the upper half, and the number "1208" is printed in black in the lower half.

- Tunnel restriction code (ADR) : D/E
- Limited quantities (ADR) : 11



# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EAC code : 3YE  
Excepted quantities (ADR) : E2

### Transport by sea

DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.  
MFAG-No : 128

### Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L  
Civil Aeronautics Law : Flammable liquids

### 14.4. Environmental hazards

Dangerous for the environment :



Other information : No supplementary information available.

### 14.5. Special precautions for user

### 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
N-HEXANE UNLABELED (110-54-3)	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

### 15.2. International regulations

#### CANADA

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE	
Listed on the Canadian DSL (Domestic Substances List)	
N-HEXANE UNLABELED (110-54-3)	
Listed on the Canadian DSL (Domestic Substances List)	

#### 15.2.1. National regulations

No additional information available

### 15.3. US State regulations

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE()	
U.S. - California - Proposition 65 - Carcinogens List	No

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE()	
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Yes
State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

N-HEXANE UNLABELED (110-54-3)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	Yes	

N-HEXANE UNLABELED (110-54-3)	
State or local regulations	
U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List	

## SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R11	Highly flammable
R22	Harmful if swallowed
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
R68	Possible risk of irreversible effects
F	Highly flammable

# HALOWAX 1000 UNLABELED 100 UG/ML IN HEXANE

ECN-1000

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



### HMIS III Rating

Health

: 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 3 Serious Hazard

Physical

: 0 Minimal Hazard

CIL Mixture SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*