

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/11/2015 Revision date: 29/06/2020 Supersedes: 28/08/2018 Version: 1.2 ULM-9646-S

SECTION 1: Identificatio	n of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: FIPRONIL DESULFINYL UNLABELED 100 UG/ML IN METHANOL
Product code	: ULM-9646-S
1.2. Relevant identified us	ses of the substance or mixture and uses advised against
1.2.1. Relevant identified us	ses
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised agains	
No additional information availab	
	er of the safety data sheet
Cambridge Isotope Laboratories	
50 Frontage Road	
Andover, MA 01810 USA	
USA: 1-800-322-1174 Int: 1-9	78-749-8000
	otope.com
Emergency telephon	e number
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 International: 1-703-741-5970 (
SECTION 2: Hazards ide	ntification
2.1. Classification of the	substance or mixture
	gulation (EC) No. 1272/2008 [CLP] H225
Classification according to Re Flam. Liq. 2	gulation (EC) No. 1272/2008 [CLP]
Classification according to Re	gulation (EC) No. 1272/2008 [CLP] H225
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral)	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal)	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour)	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331 H315
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331 H315 H319 H370
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331 H315 H319 H370
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331 H315 H319 H370 statements : see section 16
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25 Xi; R36/38	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H313 H315 H319 H370 I-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD]
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H313 H315 H319 H370 I-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD]
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25 Xi; R36/38	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H313 H315 H319 H370 I-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD]
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25 Xi; R36/38 Full text of R-phrases: see section GHS-US classification Flam. Liq. 2	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H313 H315 H319 H370 H-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD] on 16 H225
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25 Xi; R36/38 Full text of R-phrases: see section GHS-US classification Flam. Liq. 2 Acute Tox. 3 (Oral)	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H313 H315 H319 H370 H-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD] on 16 H225 H301
Classification according to Re Flam. Liq. 2 Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Skin Irrit. 2 Eye Irrit. 2 STOT SE 1 Full text of hazard classes and H Classification according to Dir F; R11 T; R39/23/24/25 Xi; R36/38 Full text of R-phrases: see section GHS-US classification Flam. Liq. 2	gulation (EC) No. 1272/2008 [CLP] H225 H301 H311 H331 H315 H319 H370 H-statements : see section 16 rective 67/548/EEC [DSD] or 1999/45/EC [DPD] on 16 H225 H301 H311

Full text of H statements : see section 16

H319

H370

Eye Irrit. 2A

STOT SE 1

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapor. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements	
Labeling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS08 GHS06
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapor H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (eyes, heart, kidneys, liver, central nervous system) (in contact with skin, if inhaled, if swallowed)
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment P260 - Do not breathe dust, mist, vapors, fume, gas, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS02 GHS08 GHS06 : Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor
	H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal Inhalation, oral)
Precautionary statements (GHS-US)	: P210 - Keep away from heat, open flames, sparks No smoking. P233 - Keep container tightly closed.
	 P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust, fume, mist, gas, spray, vapors. P261 - Avoid breathing dust, fume, gas, spray, vapors, mist. P264 - Wash hands, forearms and face thoroughly after handling.
	 P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves. P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of water
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing P307+P311 - If exposed: Call a poison center/doctor P311 - Call a doctor, a POISON CENTER
29/06/2020	EN (English US) 2/13

9646-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see Hazardous component(s) for labeling on this label) P322 - Specific treatment (see Hazard pictograms (CLP) on this label) P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P361+P364 - Take off immediately all contaminated clothing and wash it before reuse. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

PBT: not relevant - no registration required

SECTION 3: Composition/Information on ingredients

Substances 3.1.

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987359	F; R11 T; R39/23/24/25 Xi; R36/38
FIPRONIL DESULFINYL UNLABELED	(CAS-No.) 205650-65-3	0.0126	T+; R28
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987359	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
FIPRONIL DESULFINYL UNLABELED	(CAS-No.) 205650-65-3	0.0126	Acute Tox. 2 (Oral), H300
Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.987359	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
FIPRONIL DESULFINYL UNLABELED	(CAS-No.) 205650-65-3	0.0126	Acute Tox. 2 (Oral), H300

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand. Call a physician immediately. Evacuate danger area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Call a physician immediately.

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects	: Causes damage to organs (Eyes, heart, liver, kidneys, central nervous system, Skin) (in contact with skin, if inhaled, if swallowed).
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.

Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Dry sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Vapors may form flammable mixture with air. Highly flammable liquid and vapor.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Wear recommended personal protective equipment.
Other information	: Use water spray to cool exposed surfaces.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact
	with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Do	not allow to enter drains or water courses. Avoid release to the environment.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Dike and contain spill.
Methods for cleaning up	 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well- ventilated area. Avoid breathing Avoid breathing dust, mist or spray. Do not breathe Avoid breathing dust, mist or spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.
Storage conditions	: Store at room temperature away from light and moisture.
Incompatible materials	: Heat sources.
29/06/2020	EN (English LIS) 4/1

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.3. Specific end use(s)

No additional information available

1. Control parameters		
FIPRONIL DESULFINYL UNL	ABELED 100 UG/ML IN METHANOL	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	325 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m ³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m ³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.
100% METHANOL UNLABEL	ED (67-56-1)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	325 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.

9646-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m ³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.

FIPRONIL DESULFINYL UNLABELED 100 UG/ML IN METHANOL

DNEL/DMEL (Workers) Acute - systemic effects, dernal 40 mg/kg bodyweight/day Acute - systemic effects, inhalation 260 mg/cm ² Long-term - systemic effects, dernal 260 mg/cm ² Long-term - local effects, dermal 260 mg/cm ² Long-term - local effects, inhalation 260 mg/cm ² Long-term - local effects, inhalation 260 mg/cm ² DNEL/DMEL (General population) 260 mg/cm ³ Acute - systemic effects, inhalation 50 mg/m ³ Acute - systemic effects, inhalation 50 mg/m ³ Acute - systemic effects, inhalation 50 mg/m ³ Acute - systemic effects, oral 8 mg/kg body weight Acute - systemic effects, oral 8 mg/kg body weight Acute - systemic effects, oral 8 mg/kg body weight Acute - systemic effects, oral 8 mg/kg body weight Acute - systemic effects, oral 8 mg/kg body weight/day Long-term - systemic effects, oral 8 mg/kg bodyweight/day Long-term - systemic effects, oral 8 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/m ³ Long-term - systemic effects, inhalation 50 mg/m ³ Long-term - systemic effects, inhalation 5			
Acute - systemic effects, inhalation 260 mg/m³ Acute - local effects, dermal 260 mg/cm² Long-term - systemic effects, dermal 40 mg/kg bodyweight/day Long-term - local effects, dermal 260 mg/cm² Long-term - local effects, inhalation 260 mg/m³ DNEL/DMEL (General population) 260 mg/m³ Acute - systemic effects, inhalation 260 mg/m³ Acute - systemic effects, otermal 8 mg/kg body weight Acute - systemic effects, inhalation 50 mg/m³ Acute - systemic effects, oral 8 mg/kg body weight Acute - systemic effects, oral 8 mg/kg body weight Acute - local effects, inhalation 50 mg/m³ Long-term - systemic effects, oral 8 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/m³ Long-term - systemic effects, dermal 8 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/m³ Long-term - local effects, inhalation 50 mg/m³ PNEC aqua (freshwater) 154 mg/l PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) 570.4 mg/kg dwt	DNEL/DMEL (Workers)		
Acute - local effects, dermal260 mg/cm²Long-term - systemic effects, dermal40 mg/kg bodyweight/dayLong-term - local effects, dermal260 mg/cm²Long-term - local effects, inhalation260 mg/m³DNEL/DMEL (General population)Acute - systemic effects, dermal8 mg/kg body weightAcute - systemic effects, inhalation50 mg/m³Acute - systemic effects, oral8 mg/kg body weightAcute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³PNEC (Water)90 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - systemic effects, dermal	40 mg/kg bodyweight/day	
Long-term - systemic effects, dermal40 mg/kg bodyweight/dayLong-term - local effects, dermal260 mg/cm²Long-term - local effects, inhalation260 mg/m³DNEL/DMEL (General population)Acute - systemic effects, dermal8 mg/kg body weightAcute - systemic effects, inhalation50 mg/m³Acute - systemic effects, oral8 mg/kg body weightAcute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³PNEC (Water)8 mg/kg bodyweight/dayPNEC qua (freshwater)154 mg/lPNEC aqua (marine water)154 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - systemic effects, inhalation	260 mg/m ³	
Long-term - local effects, dermal260 mg/cm2Long-term - local effects, inhalation260 mg/m3DNEL/DMEL (General population)Acute - systemic effects, dermalAcute - systemic effects, dermal8 mg/kg body weightAcute - systemic effects, inhalation50 mg/m3Acute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m3Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m3Long-term - systemic effects, inhalation50 mg/m3Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m3Long-term - local effects, inhalation50 mg/m3PNEC (Water)154 mg/lPNEC aqua (freshwater)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - local effects, dermal	260 mg/cm ²	
Long-term - local effects, inhalation260 mg/m³DNEL/DMEL (General population)Acute - systemic effects, dermal8 mg/kg body weightAcute - systemic effects, inhalation50 mg/m³Acute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Acute - local effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³Long-term - local effects, inhalation50 mg/m³PNEC (Water)9PNEC aqua (freshwater)154 mg/lPNEC (Sediment)9PNEC (Sediment)570.4 mg/kg dwt	Long-term - systemic effects, dermal	40 mg/kg bodyweight/day	
DNEL/DMEL (General population) Acute - systemic effects, dermal 8 mg/kg body weight Acute - systemic effects, inhalation 50 mg/m³ Acute - systemic effects, oral 8 mg/kg body weight Acute - local effects, inhalation 50 mg/m³ Long-term - systemic effects, oral 8 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/m³ Long-term - systemic effects, inhalation 50 mg/m³ Long-term - systemic effects, dermal 8 mg/kg bodyweight/day Long-term - systemic effects, dermal 8 mg/kg bodyweight/day Long-term - systemic effects, inhalation 50 mg/m³ PNEC (Water) 50 mg/m³ PNEC aqua (freshwater) 154 mg/l PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 570.4 mg/kg dwt	Long-term - local effects, dermal	260 mg/cm ²	
Acute - systemic effects, dermal8 mg/kg body weightAcute - systemic effects, inhalation50 mg/m³Acute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - local effects, inhalation50 mg/m³PNEC (Water)9NEC (Water)PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)970.4 mg/kg dwt	Long-term - local effects, inhalation	260 mg/m ³	
Acute - systemic effects, inhalation50 mg/m³Acute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - local effects, inhalation50 mg/m³PNEC (Water)50 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	DNEL/DMEL (General population)		
Acute - systemic effects, oral8 mg/kg body weightAcute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Porg-term - local effects, inhalation50 mg/m³PNEC (Water)50 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - systemic effects, dermal	8 mg/kg body weight	
Acute - local effects, inhalation50 mg/m³Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - local effects, inhalation50 mg/m³PNEC (Water)50 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - systemic effects, inhalation	50 mg/m³	
Long-term - systemic effects, oral8 mg/kg bodyweight/dayLong-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - local effects, inhalation50 mg/m³PNEC (Water)50 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - systemic effects, oral	8 mg/kg body weight	
Long-term - systemic effects, inhalation50 mg/m³Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - local effects, inhalation50 mg/m³PNEC (Water)50 mg/m³PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)570.4 mg/kg dwt	Acute - local effects, inhalation	50 mg/m³	
Long-term - systemic effects, dermal8 mg/kg bodyweight/dayLong-term - local effects, inhalation50 mg/m³PNEC (Water)9NEC aqua (freshwater)PNEC aqua (freshwater)154 mg/lPNEC aqua (marine water)15.4 mg/lPNEC (Sediment)9NEC (Sediment)PNEC sediment (freshwater)570.4 mg/kg dwt	Long-term - systemic effects,oral	8 mg/kg bodyweight/day	
Long-term - local effects, inhalation 50 mg/m³ PNEC (Water) 9NEC aqua (freshwater) PNEC aqua (marine water) 154 mg/l PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) 9NEC sediment (freshwater) S70.4 mg/kg dwt 570.4 mg/kg dwt	Long-term - systemic effects, inhalation	50 mg/m³	
PNEC (Water) 154 mg/l PNEC aqua (freshwater) 154 mg/l PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) PNEC sediment (freshwater) 570.4 mg/kg dwt 570.4 mg/kg dwt	Long-term - systemic effects, dermal	8 mg/kg bodyweight/day	
PNEC aqua (freshwater) 154 mg/l PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) 15.4 mg/l PNEC sediment (freshwater) 570.4 mg/kg dwt	Long-term - local effects, inhalation	50 mg/m³	
PNEC aqua (marine water) 15.4 mg/l PNEC (Sediment) 570.4 mg/kg dwt	PNEC (Water)		
PNEC (Sediment) PNEC sediment (freshwater) 570.4 mg/kg dwt	PNEC aqua (freshwater)	154 mg/l	
PNEC sediment (freshwater) 570.4 mg/kg dwt	PNEC aqua (marine water)	15.4 mg/l	
	PNEC (Sediment)		
PNEC (Soil)	PNEC sediment (freshwater)	570.4 mg/kg dwt	
	PNEC (Soil)		
PNEC soil 23.5 mg/kg dwt	PNEC soil	23.5 mg/kg dwt	
PNEC (STP)			
PNEC sewage treatment plant 100 mg/kg	PNEC sewage treatment plant	100 mg/kg	
8.2. Exposure controls			

Appropriate engineering controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing	
Hand protection	
Eye protection	
Skin and body protection	
Respiratory protection	



: Wear suitable protective clothing and gloves.

- : Wear eye protection. Chemical goggles or face shield with safety glasses.
- : Wear suitable protective clothing, gloves and eye/face protection.

[:] In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

9646-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls

: Avoid release to the environment.

Environmental exposure controls	: Avoid release to the environment.		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
The properties listed below are for the solvent, the main compon	ent of this mixture.		
Physical state	: Liquid		
Appearance	: Liquid		
Molecular mass	: 32.04 g/mol		
Color	: Colorless		
Odor	: Pungent		
Odor threshold	: No data available		
pH	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: -98 °C (-144 °F)		
Freezing point	: No data available		
Boiling point	: 64.7 °C (148.5 °F)		
Flash point	: 9.7 °C (49.5 °F) - closed cup		
Auto-ignition temperature	: 455 °C (851 °F) at 1,013 hPa (760 mmHg)		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)		
Vapor pressure at 50 °C	: 546.6 hPa (410 mmHg) at 50 °C (122 °F)		
Relative vapor density at 20 °C	: 1.11		
Relative density	: No data available		
Specific gravity / density	: 0.791 g/ml at 25 °C (77 °F)		
Solubility	: Water: Completely miscible		
Log Pow	: -0.77		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: Product is not explosive.		
Oxidizing properties	: Non oxidizing material according to EC criteria.		
Explosion limits	: 6 - 36 % (V)		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
Vapors may form flammable mixture with air. Highly flammable liquid and vapor.			
10.2. Chemical stability			
See storage and expiration date on CoA.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal co	nditions of use.		
10.4. Conditions to avoid			
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials			
Acid anhydrides, Acid chlorides, Ovidizing agent, Alkali Metal Amides, Reducing agents, Acids			

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:vapour: Toxic if inhaled.

FIPRONIL DESULFINYL UNLABELED 100 UG/ML IN METHANOLLD50 oral rat1187 - 2769 mg/kg

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FIPRONIL DESULFINYL UNLABELED 100 UC	G/ML IN METHANOL
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	128.200 mg/l/4h
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
100% METHANOL UNLABELED (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	128.200 mg/l/4h
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
FIPRONIL DESULFINYL UNLABELED (20565	i0-65-3)
LD50 oral rat	16 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	16.000 mg/kg body weight
Skin corrosion/irritation	: Skin - Rabbit - Result: No skin irritation
Serious eye damage/irritation	: Eyes - Rabbit - Result: No eye irritation
Respiratory or skin sensitization	: Maximisation Test - Guinea pig - Did not cause sensitization - (OECD 406 method)
Germ cell mutagenicity	: AMES test : S. tymphimurium - Result: Negative - Fibroblast - Result: Negative. Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cystogenetic test, chromosomal analysis) - Mouse - Male and female - Result: Negative. Mouse - Male and female - Result: Negative.
Carcinogenicity	: Not classified
Reproductive toxicity	: Damage to fetus not classifiable. Fertility classification not possible from current data.
Specific target organ toxicity – single exposure	: Causes damage to organs through prolonged or repeated exposure
Specific target organ toxicity – repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not classified
•	
Potential Adverse human health effects and symptoms	This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.

SECTION 12: Ecological information			
12.1. Toxicity			
cology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
FIPRONIL DESULFINYL UNLABELED 100 UG/	ML IN METHANOL		
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h		
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h		
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h		
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h		
100% METHANOL UNLABELED (67-56-1)			
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h		
29/06/2020	EN (English US) 8/13		

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)	
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h

12.2. Persistence and degradability			
FIPRONIL DESULFINYL UNLABELED 100 UG	/ML IN METHANOL		
Biochemical oxygen demand (BOD)	600 - 1200 mg/g		
Chemical oxygen demand (COD)	1420 mg/g		
ThOD	1500 mg/g		
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d		
100% METHANOL UNLABELED (67-56-1)	-		
Biochemical oxygen demand (BOD)	600 - 1200 mg/g		
Chemical oxygen demand (COD)	1420 mg/g		
ThOD	1500 mg/g		
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d		
FIPRONIL DESULFINYL UNLABELED (20565)	D-65-3)		
Biodegradation	Readily biodegradable.		
2.3. Bioaccumulative potential			
FIPRONIL DESULFINYL UNLABELED 100 UG	/ML IN METHANOL		
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C		
Bioconcentration factor (BCF REACH)	1		
Log Pow	-0.77		
100% METHANOL UNLABELED (67-56-1)			
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C		
Bioconcentration factor (BCF REACH)	1		
Log Pow	-0.77		
FIPRONIL DESULFINYL UNLABELED (20565)-65-3)		
Log Pow	3.97 at 25 °C (77 °F)		
2.4. Mobility in soil			
FIPRONIL DESULFINYL UNLABELED 100 UG	/ML IN METHANOL		
Ecology - soil	Not degradable in the soil.		
100% METHANOL UNLABELED (67-56-1)	·		
Ecology - soil	Not degradable in the soil.		
2.5. Results of PBT and vPvB assessmen	t		
FIPRONIL DESULFINYL UNLABELED 100 UG	/ML IN METHANOL		
PBT: not relevant – no registration required			
100% METHANOL UNLABELED (67-56-1)			
PBT: not relevant – no registration required			
2.6. Other adverse effects			
Other adverse effects	: Avoid release to the environment.		
Other information	: Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Hydrolyses readily.		
SECTION 13: Disposal consideration	S		

SECTION 15. Disposal consideration	15
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	

UN-No.(DOT)	: 1230	
DOT NA no.	UN1230	
29/06/2020	EN (English US)	9/13

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (DOT) Hazard labels (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 : 3 - Flammable liquid		
	6.1 - Poison		
	FLAMMABLE LIQUID POISON		
DOT Symbols	: + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Prope shipping name appropriate for international and domestic transportation		
Packing group (DOT)	: II - Medium Danger		
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202		
DOT Packaging Bulk (49 CFR 173.xxx)	: 242		
14.3. Additional information			
Emergency Response Guide (ERG) Number	: 131		
Other information	: No supplementary information available.		
Overland transport			
Packing group (ADR)	: 11		
Class (ADR)	: 3 - Flammable liquid		
Hazard identification number (Kemler No.)	: 336		
Classification code (ADR)	: FT1		
Hazard labels (ADR)	: 3 - Flammable liquids 6.1 - Toxic substances		
Orange plates	336 1230		
Tunnel restriction code (ADR)	: D/E		
Limited quantities (ADR)	11		
Excepted quantities (ADR)	: E2		
Transport by sea			
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" o passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		

9646-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MFAG-No	: 131
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
FIPRONIL DESULFINYL UNLABELED 100 UG/	ML IN METHANOL	
Listed on the United States TSCA (Toxic Substar	nces Control Act) inventory	
CERCLA RQ	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313	
100% METHANOL UNLABELED (67-56-1)		
Listed on the United States TSCA (Toxic Substar	nces Control Act) inventory	
CERCLA RQ	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313	
FIPRONIL DESULFINYL UNLABELED (205650-65-3)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA	
FIPRONIL DESULFINYL UNLABELE	D 100 UG/ML IN METHANOL
Listed on the Canadian DSL (Domesti	c Substances List)
100% METHANOL UNLABELED (67	-56-1)
Listed on the Canadian DSL (Domesti	c Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

FIPRONIL DESULFINYL UNLABELED 100 UG/ML IN METHANOL()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	Yes	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

9646-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FIPRONIL DESULFINYL UNLABELED 100 UG/ML IN METHANOL()				
State or local regulations		U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances		
100% METHANOL UNLAB	ELED (67-56-1)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	
FIPRONIL DESULFINYL UN	NLABELED (205650-65-3)	·	·	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
100% METHANOL UNLAB	ELED (67-56-1)			
State or local regulations				
U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances				
FIPRONIL DESULFINYL UNLABELED (205650-65-3)				
State or local regulations				
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List				

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

$10 \times 10^{11} \times 10^{11}$ and 10×10^{11} mases.		
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Flam. Liq. 2	Flammable liquids Category 2	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
H225	Highly flammable liquid and vapor	
H300	Fatal if swallowed	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H370	Causes damage to organs	
R11	Highly flammable	
R28	Very toxic if swallowed	
R36/38	Irritating to eyes and skin	
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed	
F	Highly flammable	
Т	Toxic	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	T+	Very toxic
	Xi	Irritant
NFPA health hazard		: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard		: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.
Haza	rd Rating	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability		: 3 Serious Hazard
Physical		: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product